



	A0	I TMA -1060-R68-M	2018/03/06	H	Roger

- L
- L DCR
- H
- H (I)
- R HS H F
- L EMI


- R
- DC/DC
- T -
- G
- L PC
- SSD



M= 20%
1R0=1.0 H




A	
B	
C	
D	
E	
F	




S : T IUT•L
1.P : 160 ± 10 C 90
2.R : 245 ± 5 °C 2 ±
0.5 95%

1.
(10H 55H 1 60
0- =

T S	<p>1.R 100 : $(-55 \pm 2 \text{ C}, 30 \pm 3)$ \rightarrow (R , 5) \rightarrow $(+125 \pm 2 \text{ C}, 30$ $\pm 3)$ \rightarrow (R , 5) 2.R : $48 + 4 / - 0$</p>	<p>L/L₀ $\pm 5\%$</p> <p>N</p> <p>.</p>
H T R	<p>1.E T : $85 \pm 2 \text{ C}$ 2.A C : R 3.D : $1,000 + 4 / - 0$</p>	
H R	<p>1.E T : $60 \pm 2 \text{ C}$ 2.R H : 90 95% 3.D : $1,000 + 4 / - 0$</p>	
L T S	<p>1.S : $-55 \pm 2 \text{ C}$ $1,000 + 4 / - 0$</p>	
H T S	<p>1.S : $+125 \pm 2 \text{ C}$ $1,000 + 4 / - 0$</p>	





G	F	I	T	H	A
10.7 ± 0.1	12.0 ± 0.1	6.5 ± 0.1	0.35 ± 0.05	16.0 ± 0.1	24.0 ± 0.3
J	K	D	E	B	C
1.50 ± 0.1	1.50 ± 0.1	2.0 ± 0.1	4.0 ± 0.1	11.5 ± 0.1	1.75 ± 0.1



A	B	C
24.5 ± 0.2	2.0 ± 0.2	B

- T 300 / .
- T 0.1 0.7 N.





	<	≥
<2.5	235℃	220℃
≥2.5	220℃	220℃

	<		
<1.6	260℃	260℃	260℃
1.6-2.5	260℃	250℃	245℃
>2.5	250℃	245℃	245℃

P	S	T (T)	100℃	150℃
		T (T)	150℃	200℃
		T ():T T	60-120 S	60-120 S
A	TL T		3℃/S M .	3℃/S M .
L	(TL)		183℃	183℃
T	(L)		60-150 S	60-150 S
P	(T)*		T 1	T 2
T	()** 5 °C (T)		20 **	30 **
A	- T TL		6℃/S M .	6℃/S M .
T	25℃ P T		6 M M .	8 M M .

*T (T)

** T ()

● 500 /

- T
- L

✓ P	N .	✓ C	N
✓ D		✓ C	P N .
✓ Q		✓ M	P N .
✓ P	N .	✓ M	N
✓ T	N .	✓ M	C

➤ : T 25 35 C, H 45 75% RH

➤ :
✓ M T : -55 C A .
✓ M T : +125 C T

✓ T -55 C +125 C .
✓ H , UL.

➤ :
 ,
 .

➤ : I (, .).

